


# Mobile Stages

MOBILE STAGES | RAMPS | STAIRS | GUARD RAILS | SKIRTING













# **Model 4140**

4'x8' dual height stage

16"-24" heights

Carpeted folding deck

Steel frame

Reinforced steel under chassis and legs

Finished in black powder epoxy

	Length	Width	Height
in:	96	48	16
cm:	244	122	41

# **Model 4141**

4'x8' dual height stage

24"-32" heights

Carpeted folding deck

Steel frame

Reinforced steel under chassis and legs

Finished in black powder epoxy

	Length	Width	Height
in:	96	48	24
cm:	244	122	61



# **Model 4150**

6'x8' dual height stage

16"-24" heights

Carpeted folding deck

Steel frame

Reinforced steel under chassis and legs

Finished in black powder epoxy

	Length	Width	Height
in:	96	72	16
cm:	244	183	41

# **Model 4151**

6'x8' dual height stage

24"-32" heights

Carpeted folding deck

Steel frame

Reinforced steel under chassis and legs

Finished in black powder epoxy

	Length	Width	Height
in:	96	72	24
cm:	244	183	61

# **ADA Ramps**

# **Model 4196-B**

ADA Base Section

Guard rail with handrail

# **Model 4196-R**

ADA Ramp Section

Guard rail with handrail

# **Model 4196-T**

ADA Transition Section

Guard rail with handrail



The ADA ramp is an essential element of the complete staging system. Allowing anyone to use the stage and complying with the ADA, our Stage Ramp is available for any 16" or 24" high stage. The three sections connect securely together and give users a gentle slope up the stage itself.

For a 16" high stage, order models 4196-B and 4196-T. For all 24" high stages order all three ramp sections.

#### **Overall dimensions**

Sections 4196-B & 4196-T: 45"W x 187.75"L x 64"H All three sections: 45"W x 290.25"L x 72"H

# Chair/Table Stops

# **Model 4185**

Reinforced steel tube construction

Finished in black powder-epox

rinisnea in black powder-epoxy				
	Length	Width		
in:	4	8		
cm:	11	21		

- \*Model 4185-3 3' length
- \*Model 4185-4 4' length
- \*Model 4185-5 5' length
- \*Model 4185-6 6' length \*Model 4185-8 - 8' length

# Transport Carts

# Model 4199-6

Our transport/storage cart is a key factor when it comes to fast set-up/break down and compact storage. The ramp sections and guard rails lean neatly against the frame of the cart and are secured by heavy duty poly straps. Call for more information.


# **Model 4170**

Round steel tube

Finished in black powder-epoxy

		, ,	
	Depth	Height	
in:	7	28	
cm:	18	72	

- \*Model 4170-3 3' length
- \*Model 4170-4 4' length
- \*Model 4170-8 8' length



# **Model 4180**

Round steel tube

Finished in black powder-epoxy

Timoned in black powder epoxy			
	Depth	Height	
in:	7	42	
cm:	18	107	

- \*Model 4180-3 3' length
- \*Model 4180-4 4' length
- \*Model 4180-8 8' length

# **Stairs**

# **Model 4190**

Stairs for 16"-24" high stages

Two carpeted treads

	Depth	Width	Height
in:	22	38	16
cm:	56	97	41

**Model 4192** 

Stairs for 16"-24" high stages

Guard rails

Two carpeted treads

	Depth	Width
in:	25.5	39
cm:	65	100

\*Model 4192-28 - 28" high guard rails

(52" overall height)
\*Model 4192-42 - 42" high guard rails (65.5" overall height)



\*Model 4193-28 - 28" high guard rails (66.5" overall height)

\*Model 4193-42 - 42" high guard rails (74" overall height)







16"-24" high

Flat panel with box pleat valance

Washable flame retardant fabric

- \*Model 4162-4 4' length
- \*Model 4162-6 6' length
- \*Model 4162-8 8' length





24"-32" high

Flat panel with box pleat valance

Washable flame retardant fabric

- \*Model 4163-4 4' length
- \*Model 4163-6 6' length
- \*Model 4163-8 8' length



