

REQUIRED TOOLS: Medium Philips Head Screw Driver, ½ Wrench, Rubber Hammer

1 **Attaching Revolving Corner Bumpers**

HARDWARE IDENTIFICATION **(actual size):**

4= Revolving Corner Bumpers

4= Locking Cap
for ½" Steel Rod


4= 5/8
USS Flat Washer
PLTD



2 **Attaching Vacuum Bracket**

HARDWARE IDENTIFICATION **(actual size):**

4= 5/16-18
Nylon Insert
L/N Z





1933 East Locust Street
Ontario, California 91761
Phone: (909) 923-4559 * Fax: (909) 923-1969

3

Attaching Glass Rack



HARDWARE IDENTIFICATION (actual size):



4

Attaching Swivel Wheels


HARDWARE IDENTIFICATION (actual size):



5

Attaching Rigid Wheels



HARDWARE IDENTIFICATION (actual size):



6

Attaching Cabinet to Base

HARDWARE IDENTIFICATION (actual size):



7

Attaching S.S. Ring


HARDWARE IDENTIFICATION (actual size):



8


Attaching Handle/Bag Support

HARDWARE IDENTIFICATION (actual size):



8

Attaching Handle/Bag Support (contd.)



Complete Cart Assembly

